## CUSTIS, DIX, LEWIS & CUSTIS, L.L.P.

ATTORNEYS AT LAW
ACCAWMACKE OFFICE CENTER
23345 COUNSEL DRIVE
P. O. BOX 577
ACCOMAC, VIRGINIA 23301
E-Mail: john@custislawoffice.com

RECEIVED - DEQ

JUL 3 0 2015

Tidewater Regional
Office

HENRY P. CUSTIS, JR. THOMAS B. DIX, JR. LYNWOOD W. LEWIS, JR. JOHN P. CUSTIS

July 28, 2015

TELEPHONE 757-787-2770 TELECOPIER 757-787-2352

Mr. Robert E. Smithson, Jr. Environmental Specialist Senior Virginia DEQ 5636 Southern Boulevard Virginia Beach, Virginia 23462 RECEIVED = .

AUG 0 6 2015

Tidewater Regional .

Office

RE: Application for Re-Issuance of VPDES Permit No. VA0091677

Marina Hotel & Suites at Chincoteague WWTP, Chincoteague, VA Accomack Co.

Dear Mr. Smithson:

I hope this message finds you well. Pursuant to your letter to myself and Mr. Tauhid Islam dated May 28, 2015, please find enclosed the original and two copies of the Application for Re-Issuance of VPDES Permit No. VA0091677, including, but not limited to the following:

- Form 2A
- Permit Application Addendum
- Sewage Sludge Application
- VPDES Permit Annual Maintenance Fee Form
- VPDES Public Notice Billing Authorization

As you are aware, Mr. Islam is the Managing Member of Bayside Hospitality, LLC, the owner of the property upon which the above application applies. The LLC is in the process of designing and starting construction on a hotel at the above referenced location, which is dependent upon the above-referenced permit. We would very much appreciate your prompt attention to this matter. We remain ready, willing and able to address any concerns or questions you have with the application. If you should need any additional information or materials, please do not hesitate to call or email myself or Mr. Islam.

Again, many thanks for your prompt attention to this matter.

Sincerely

AUG 0 6 2015

Tidewater Regional
Office

RECEIVED - DFO

nn P. Custis, Esq.

Marina Hotel and Suites at Chincoteague, VA0091677

FORM 2A NPDES

## NPDES FORM 2A APPLICATION OVERVIEW

#### **APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### **BASIC APPLICATION INFORMATION:**

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

## ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Marina Hotel and Suites at Chincoteague, VA0091677

## BASIC APPLICATION INFORMATION

PAF	RT A. BASIC APPL	ICATION INFO	DRMATION FOR ALL A	PPLICANTS:					
			ions A.1 through A.8 of t	his Basic Application Information pac	<b>ket.</b>				
A.1.	Facility Information	ı <b>.</b>							
	Facility name	Marina Hotel a	and Suites at Chincoteac	gue					
	Mailing Address	3791 South M	ain Street, Chincoteague	e. VA 23336					
	Contact person	Mr. Tauhid Isla	am						
	Title	Managing Mer	mber						
	Telephone number	(757) 336-631	3						
	Facility Address (not P.O. Box)	3801 Main Str	eet, Chincoteague, VA.	23336					
A.2.	Applicant Informati	on. If the applica	nt is different from the abov	ve, provide the following:					
	Applicant name	Bayside Hosp	itality, LLC						
	Mailing Address	3791 South M	lain Street, Chincoteague, VA 23336						
	Contact person	Mr. Tauhid Isla	am						
	Title	Managing Me	mber						
	Telephone number	(757) 336-631	3						
	owner		•	ent works?  e directed to the facility or the applicant.					
A.3.	Existing Environme		rovide the permit number o	f any existing environmental permits that	have been issued to the treatment				
	NPDES VA00916	677							
	1.110								
	RCRA			Other					
A.4.				palities and areas served by the facility. ection system (combined vs. separate) ar					
	Name		Population Served	Type of Collection System	Ownership				
	Marina Hotel		78 rooms	separate	private				
	Total po	pulation served	/8 rooms						

Form	Approve	d 1/14/99
OMB	Number	2040-0086

# Marina Hotel and Suites at Chincoteague, VA0091677 A.5. Indian Country. a. Is the treatment works located in Indian Country? Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country? Yes A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal. a. Design flow rate \_\_\_\_\_ 0.012 mad Two Years Ago Last Year This Year b. Annual average daily flow rate c. Maximum daily flow rate A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each. Separate sanitary sewer Combined storm and sanitary sewer A.8. Discharges and Other Disposal Methods. a. Does the treatment works discharge effluent to waters of the U.S.? If yes, list how many of each of the following types of discharge points the treatment works uses: i. Discharges of treated effluent ii. Discharges of untreated or partially treated effluent iii. Combined sewer overflow points iv. Constructed emergency overflows (prior to the headworks) Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? If yes, provide the following for each surface impoundment: Location: Annual average daily volume discharged to surface impoundment(s) \_\_\_\_ continuous or c. Does the treatment works land-apply treated wastewater? Yes If yes, provide the following for each land application site: Location: Number of acres: Annual average daily volume applied to site: Is land application continuous or Does the treatment works discharge or transport treated or untreated wastewater to another Yes treatment works?

**FACILITY NAME AND PERMIT NUMBER:** 

Form Approved 1/14/99 OMB Number 2040-0086

## **FACILITY NAME AND PERMIT NUMBER:**

Marina Hotel and Suites at Chincoteague, VA0091677

	If transport is by a party other than the applicant, provide:									
	Transporter name:									
	Mailing Address:									
	Contact person:									
	Title:									
	Telephone number:									
	Mailing Address:									
	Mailing Address:									
	Mailing Address:  Contact person:									
	-									
	Contact person:									
	Contact person: Title: Telephone number:	PDES permit number of the treatment works that receives this disch								
	Contact person: Title: Telephone number: If known, provide the N									
•	Contact person: Title: Telephone number: If known, provide the N Provide the average da Does the treatment wo	PDES permit number of the treatment works that receives this disch	arge mg							
•	Contact person: Title: Telephone number: If known, provide the N Provide the average da Does the treatment wo A.8.a through A.8.d ab	PDES permit number of the treatment works that receives this dischilly flow rate from the treatment works into the receiving facility.	arge mg							

Form Approved 1/14/99 OMB Number 2040-0086

## FACILITY NAME AND PERMIT NUMBER:

Marina Hotel and Suites at Chincoteague, VA0091677

## WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9.g.)
CEIVED — DEQ
Ph (0. 880
AUG 0 6 2015
Itor Dogiona
lewater Regiona Office
- Jan 100
d Small Coastal
d Oman Oddata.

FACILITY NAME AND P Marina Hotel and Suite			0091677				Approved 1/14/99 Number 2040-0086	
A.11. Description of Tre	atment.			***************************************	<del>,</del>			
	treatment ar mary vanced	re provided? ( 	✓ Seco	apply. ondary er. Describe:	Non-depth of the Association of			
b. Indicate the fol	lowing remo	val rates (as	applicable):					
Design BOD <sub>5</sub> r	emoval <u>or</u> D	esign CBOD <sub>5</sub>	removal		97		%	
Design SS rem	ioval				97		%	
Design P remo	val				***********		%	
Design N remo	val				93		%	
Other					******		%	
c. What type of di	sinfection is	used for the	effluent from t	his outfall? If dis	infection varies	s by season, p	lease describe.	
***************************************	by chlorina	ition, is dechlo	orination used	for this outfall?		✓ Ye	es	No
d. Does the treatr	•				•	✓ Y€	es	No No
								by 40 CFR Part 136. one-half years apar
PARAMET	ER		MAXIMUM DA	AILY VALUE		AVE	RAGE DAILY VAL	UE
			Value Units		Valu	e	Units	Number of Samples
pH (Minimum)				s.u.				
pH (Maximum)				s.u.				
Flow Rate								
Temperature (Winter)								
Temperature (Summer)  * For pH please rep	ort a minim	um and a max	ximum daily v	alue				
POLLUTANT			JM DAILY HARGE	AVERAG	SE DAILY DIS	CHARGE	ANALYTICAL METHOD	ML/MDL
	a di	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND N	ONCONVE	NTIONAL CO	MPOUNDS.					
BIOCHEMICAL OXYGEN	BOD-5							
						1	1	i .
DEMAND (Report one)	CBOD-5							

END OF PART A.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

TOTAL SUSPENDED SOLIDS (TSS)

Form Approved 1/14/99 OMB Number 2040-0086

## FACILITY NAME AND PERMIT NUMBER:

Marina Hotel and Suites at Chincoteague, VA0091677

BA	IC APPLICATION INFORMATION						
PAR	B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THA EQUAL TO 0.1 MGD (100,000 gallons per day).	N OR					
All a	licants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).						
B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and							
	Briefly explain any steps underway or planned to minimize inflow and infiltration.						
B.2.	opographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property be this map must show the outline of the facility and the following information. (You may submit more than one map if one map does the entire area.)	oundaries. not show					
	The area surrounding the treatment plant, including all unit processes.						
	b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.						
	Each well where wastewater from the treatment plant is injected underground.						
	<ol> <li>Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the works, and 2) listed in public record or otherwise known to the applicant.</li> </ol>	e treatment					
	Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.						
	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCI truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, sto disposed.	₹A) by ored, and/or					
B.3.	rocess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass pipin ackup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection allorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximates between treatment units. Include a brief narrative description of the diagram.	n (e.g,					
B.4.	peration/Maintenance Performed by Contractor(s).						
	re any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the respondentractor?YesNo	nsibility of a					
	yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attachages if necessary).	ı additional					
	ame:						
	ailing Address:						
	elephone Number:						
	esponsibilities of Contractor:	<del></del>					
B.5.	cheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation scheduncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment weatment works has several different implementation schedules or is planning several improvements, submit separate responses to 5 for each. (If none, go to question B.6.)	vorks. If the					
	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.						
	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. YesNo						

FACILITY NAME AND PE		e, VA0091677					roved 1/14/99 ber 2040-0086						
c If the answer to	B.5.b is "Yes," brie	e).	4										
applicable. For	Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, applicable. Indicate dates as accurately as possible.												
				Actual Completio	n								
Implementation	Stage	MM / DD /	/ YYYY	MM / DD / YYYY									
- Begin constru	ction	//		//									
- End construct	ion	//	***************************************	//									
– Begin dischar	ge	//											
<ul> <li>Attain operation</li> </ul>	onal level	//											
testing required by to overflows in this second methods. In addition	harge to waters of the permitting authoration. All information, this data must correct analytes not add	he US must pro prity for each out n reported must pmply with QA/G ressed by 40 CF	wide effluent tes tfall through whi t be based on d CC requirements FR Part 136. At	ch effluent is disc ata collected thro s of 40 CFR Part a minimum, efflu	<u>charged.</u> Do not ugh analysis con 136 and other ap	eters. Provide the indiction of ducted using 40 CFR oppopriate QA/QC requisit be based on at light control or the control of t	n combined sewer Part 136 uirements for						
Outfall Number:													
POLLUTANT		JM DAILY HARGE	AVER	AGE DAILY DISC	CHARGE								
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL						
CONVENTIONAL AND NO	ONCONVENTIONA	L COMPOUND	S.										
AMMONIA (as N)													
CHLORINE (TOTAL RESIDUAL, TRC)													
DISSOLVED OXYGEN													
TOTAL KJELDAHL NITROGEN (TKN) NITRATE PLUS NITRITE NITROGEN OIL and GREASE													
PHOSPHORUS (Total)													
TOTAL DISSOLVED SOLIDS (TDS)													

END OF PART B.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

OTHER

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086								
Marina Hotel and Suites at Chincoteague, VA0	OND Number 2040-0000								
BASIC APPLICATION INFORMAT	TION								
PART C. CERTIFICATION									
All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.									
Indicate which parts of Form 2A you have compl	eted and are submitting:								
Basic Application Information packet	Supplemental Application I	nformation packet:							
	Part D (Expanded	Effluent Testing Data)							
	Part E (Toxicity Te	sting: Biomonitoring Data)							
	Part F (Industrial U	ser Discharges and RCRA/CERCLA Wastes)							
	Part G (Combined	Sewer Systems)							
ALL APPLICANTS MUST COMPLETE THE FOLL	OWING CERTIFICATION.								
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.									
Name and official titleTauhid Islam, Managin	g Member								
Signature	fl_								
Telephone number 443-35	73-1789								
Date signed $7/22/15$									

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:

Marina Hotel and Suites at Chincoteague, VA0091677

## SUPPLEMENTAL APPLICATION INFORMATION

N/A

Form Approved 1/14/99

OMB Number 2040-0086

#### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number:POLLUTANT		/AXIMU	M DAIL'				DAILY		of the Unite ARGE	ANALYTICAL METHOD	
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples		ML/ MDL
METALS (TOTAL RECOVERABLE), (	CYANIDE,	PHENO	LS, AND	HARDNE	SS.	Tallage could describe		Total Landson St. St.			
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO <sub>3</sub> )											
Use this space (or a separate sheet) to	provide in	nformatio	n on othe	metals re	equested l	by the pe	rmit write	r			L
	T										

Marina Hotel and Suites at Chincoteague, VA0091677

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:	Trumber(Outspiele once for each outside discharging endern to waters of the office offices.)										
POLLUTANT	MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE						ARGE				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.		l							Samples		
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM							-				
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

Marina Hotel and Suites at Chincoteague, VA0091677

Form	Approved	1/14/99
OMB	Number 5	2040_0086

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: AVERAGE DAILY DISCHARGE POLLUTANT MAXIMUM DAILY DISCHARGE Units Mass Units Mass Units **ANALYTICAL** ML/ MDL Conc. Conc. Units Number METHOD of Samples 1,1,1-TRICHLOROETHANE 1,1,2-TRICHLOROETHANE TRICHLORETHYLENE VINYL CHLORIDE Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer. **ACID-EXTRACTABLE COMPOUNDS** P-CHLORO-M-CRESOL 2-CHLOROPHENOL 2,4-DICHLOROPHENOL 2,4-DIMETHYLPHENOL 4,6-DINITRO-O-CRESOL 2.4-DINITROPHENOL 2-NITROPHENOL 4-NITROPHENOL PENTACHLOROPHENOL PHENOL 2,4,6-TRICHLOROPHENOL Use this space (or a separate sheet) to provide information on other acid-extractable compounds requested by the permit writer. BASE-NEUTRAL COMPOUNDS. **ACENAPHTHENE ACENAPHTHYLENE ANTHRACENE** BENZIDINE BENZO(A)ANTHRACENE BENZO(A)PYRENE

Marina Hotel and Suites at Chincoteague, VA0091677

Form Approved 1/14/99 OMB Number 2040-0086

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: AVERAGE DAILY DISCHARGE MAXIMUM DAILY POLLUTANT DISCHARGE Units **ANALYTICAL** ML/ MDL Units Mass Number Conc. Units Mass Units Conc. of METHOD Samples 3,4 BENZO-FLUORANTHENE BENZO(GHI)PERYLENE BENZO(K)FLUORANTHENE BIS (2-CHLOROETHOXY) METHANE BIS (2-CHLOROETHYL)-ETHER BIS (2-CHLOROISO-PROPYL) **ETHER** BIS (2-ETHYLHEXYL) PHTHALATE 4-BROMOPHENYL PHENYL ETHER **BUTYL BENZYL PHTHALATE** 2-CHLORONAPHTHALENE 4-CHLORPHENYL PHENYL ETHER CHRYSENE DI-N-BUTYL PHTHALATE DI-N-OCTYL PHTHALATE DIBENZO(A,H) ANTHRACENE 1,2-DICHLOROBENZENE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 3,3-DICHLOROBENZIDINE DIETHYL PHTHALATE DIMETHYL PHTHALATE 2,4-DINITROTOLUENE 2,6-DINITROTOLUENE 1,2-DIPHENYLHYDRAZINE

Form Approved 1/14/99 OMB Number 2040-0086

Marina Hotel and Suites at Chincoteague, VA0091677

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: AVERAGE DAILY DISCHARGE MAXIMUM DAILY POLLUTANT DISCHARGE Units ANALYTICAL ML/ MDL Units Mass Number Conc. Units Mass Units Conc. of **METHOD** Samples **FLUORANTHENE FLUORENE HEXACHLOROBENZENE HEXACHLOROBUTADIENE** HEXACHLOROCYCLO-PENTADIENE **HEXACHLOROETHANE** INDENO(1,2,3-CD)PYRENE **ISOPHORONE** NAPHTHALENE NITROBENZENE N-NITROSODI-N-PROPYLAMINE N-NITROSODI- METHYLAMINE N-NITROSODI-PHENYLAMINE PHENANTHRENE **PYRENE** 1,2,4-TRICHLOROBENZENE Use this space (or a separate sheet) to provide information on other base-neutral compounds requested by the permit writer. Use this space (or a separate sheet) to provide information on other pollutants (e.g., pesticides) requested by the permit writer.

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Marina Hotel and Suites at Chincoteague, VA0091677

#### Form Approved 1/14/99 OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION

## PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do no complete.	t complete Part E. Refer to the Appl	ication Overview for directions on whic	th other sections of the form to						
E.1. Required Tests.									
Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.									
chronicacute	chronicacute								
E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.									
column per test (where each species		Test number:	Test number:						
	Test number:	Test number	10001101110011						
a. Test information.									
Test species & test method number									
Age at initiation of test									
Outfall number									
Dates sample collected									
Date test started									
Duration									
b. Give toxicity test methods followe	ed.								
Manual title									
Edition number and year of publication									
Page number(s)									
c. Give the sample collection metho	od(s) used. For multiple grab sample	es, indicate the number of grab sample	s used.						
24-Hour composite									
Grab									
d. Indicate where the sample was to	aken in relation to disinfection. (Chec	ck all that apply for each)							
Before disinfection									
After disinfection									
After dechlorination									

# **FACILITY NAME AND PERMIT NUMBER:** Form Approved 1/14/99 OMB Number 2040-0086 Marina Hotel and Suites at Chincoteague, VA0091677 Test number:\_ Test number: Test number: e. Describe the point in the treatment process at which the sample was collected. Sample was collected: f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both. Chronic toxicity Acute toxicity g. Provide the type of test performed. Static Static-renewal Flow-through h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source. Laboratory water Receiving water i. Type of dilution water. It salt water, specify "natural" or type of artificial sea salts or brine used. Fresh water Salt water j. Give the percentage effluent used for all concentrations in the test series. k. Parameters measured during the test. (State whether parameter meets test method specifications) pH Salinity Temperature Ammonia Dissolved oxygen I. Test Results. Acute: % % % Percent survival in 100% effluent LC<sub>50</sub> % % % 95% C.I. % % % Control percent survival

Other (describe)

NOEC	FACILITY NAME AND PERMIT NUMBER		Form Approved 1/14/99 OMB Number 2040-0086	
IC25	Chronic:			
Control percent survival	NOEC	%	%	%
Other (describe)  m. Quality Control/Quality Assurance.  Is reference toxicant data available?  Was reference toxicant test within acceptable bounds?  What date was reference toxicant test run (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo	IC <sub>25</sub>	%	%	%
m. Quality Control/Quality Assurance.  Is reference toxicant data available?  Was reference toxicant test within acceptable bounds?  What date was reference toxicant test run (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo	Control percent survival	%	%	%
Use reference toxicant data available?  Was reference toxicant test within acceptable bounds?  What date was reference toxicant test run (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo	Other (describe)			
Was reference toxicant test within acceptable bounds?  What date was reference toxicant test run (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo	m. Quality Control/Quality Assura	nce.		
what date was reference toxicant test run (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo	Is reference toxicant data available?			
Tun (MM/DD/YYYY)?  Other (describe)  E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo				
E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo				
YesNo	Other (describe)			
	YesNo If yeYesNo If yeSummary of Submitted Biomonit cause of toxicity, within the past for summary of the results.  Date submitted:	s, describe:  toring Test Information. If you have our and one-half years, provide the dat  (MM/DD/YYYY)	submitted biomonitoring test informat	ion, or information regarding the le permitting authority and a

END OF PART E.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.

Marina Hotel and Suites at Chincoteague, VA0091677

Form Approved 1/14/99	7
OMB Number 2040-0086	$\Lambda / \Lambda$
	1 V 75

## SUPPLEMENTAL APPLICATION INFORMATION

## PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

		ment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must e Part F.
GEN	1E	RAL INFORMATION:
F.1.	Pre	etreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
		YesNo
F.2.	Ni of	umber of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types industrial users that discharge to the treatment works.
	a.	Number of non-categorical SIUs.
	b.	Number of CIUs.
SIG	NII	FICANT INDUSTRIAL USER INFORMATION:
		the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 vide the information requested for each SIU.
	Sig	gnificant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional ges as necessary.
	Na	ame:
	M	ailing Address:
F.4.	In	dustrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5.		rincipal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's scharge.
	Pr	incipal product(s):
	R	aw material(s):
F.6.	F	low Rate.
	a.	Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
		gpd (continuous orintermittent)
	b.	Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
		gpd (continuous orintermittent)
F.7.	Pr	etreatment Standards. Indicate whether the SIU is subject to the following:
	a.	Local limitsYesNo
	b.	Categorical pretreatment standardsYesNo
	lf	subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER: Marina Hotel and Suites at Chincoteague, VA0091677		Form Approved 1/14/99 OMB Number 2040-0086			
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by the upsets, interference) at the treatment works in the past three years?	e SIU. Has the SIU caused or contributed to any problems (e.g.,			
	YesNo If yes, describe each episode.				
	A HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATION OF THE PROPERTY OF TRUCK, RAIL, OR DEDICATION OF THE PROPERTY OF T				
F.10.	Waste Transport. Method by which RCRA waste is received (check all that	it apply):			
	TruckRailDedicated Pipe				
F.11.	Waste Description. Give EPA hazardous waste number and amount (volu EPA Hazardous Waste Number Amount	me or mass, specify units). <u>Units</u>			
CER ACT	CLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/COR	RECTIVE WATER:			
F.12.	Remediation Waste. Does the treatment works currently (or has it been nYes (complete F.13 through F.15.)No Provide a list of sites and the requested information (F.13 - F.15.) for each				
F.13.	Waste Origin. Describe the site and type of facility at which the CERCLA/in the next five years).	RCRA/or other remedial waste originates (or is expected to originate			
F.14.	Pollutants. List the hazardous constituents that are received (or are experience).	cted to be received). Include data on volume and concentration, if			
F.15	Waste Treatment.  a. Is this waste treated (or will it be treated) prior to entering the treatment  ——Yes ——No  If yes, describe the treatment (provide information about the removal et				
	b. Is the discharge (or will the discharge be) continuous or intermittent? ContinuousIntermittent If intermittent,	describe discharge schedule.			

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Marina Hotel and Suites at Chincoteague, VA0091677

## Form Approved 1/14/99 OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION

## PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
  - a. All CSO discharge points.
  - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
  - c. Waters that support threatened and endangered species potentially affected by CSOs.
- G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
  - a. Locations of major sewer trunk lines, both combined and separate sanitary.
  - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
  - c. Locations of in-line and off-line storage structures.
  - d. Locations of flow-regulating devices.
  - e. Locations of pump stations.


cso o	UTFALLS:			
Comple	te questions G.3 throu	gh G.6 once for each CSO discharge point.		
	scription of Outfall.			
_	Outfall number			
a.	Outrain Humber			
b.	Location	(City or town, if applicable)	(Zip Co	`ode)
		(City of town, if applicable)	(2.)	7000)
		(County)	(State)	<del>)</del>
		(Latitude)	(Longit	jitude)
C.	Distance from shore (i	if applicable)	ft.	
d.	Depth below surface (	(if applicable)	ft.	
e.	Which of the following	were monitored during the last year for this CS	SO?	
	Rainfall	CSO pollutant concentrations	CSO frequency	
	CSO flow volume	eReceiving water quality		
f.	How many storm ever	nts were monitored during the last year?		
G.4. CS	O Events.			
a.	Give the number of C	SO events in the last year.		
	events (	actual or approx.)		
b.	Give the average dura	ation per CSO event.		
	hours (	actual or approx.)		

c. Give the average volume per CSO event.	
million gallons ( actual or approx.)	
d. Give the minimum rainfall that caused a CSO event in the last year.	
inches of rainfall	
G.5. Description of Receiving Waters.	
a. Name of receiving water:	
b. Name of watershed/river/stream system:	
United States Soil Conservation Service 14-digit watershed code (if known):	
c. Name of State Management/River Basin:	
United States Geological Survey 8-digit hydrologic cataloging unit code (if know	wn):
G.6. CSO Operations.	
Describe any known water quality impacts on the receiving water caused by this C permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recquality standard).	SO (e.g., permanent or intermittent beach closings, creational loss, or violation of any applicable State water
END OF PART G.	

2A YOU MUST COMPLETE.

# VPDES Permit Application Addendum

1. Entity to whom the permit is to be issued: Bayside Hospitality, LLC Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may
not be the facility or property owner.
2. Is this facility located within city or town boundaries? Yes No
3. Provide the tax map parcel number for the land where the discharge is located. 30A3-A-12 and 13
4. For the facility to be covered by this permit, how many acres will be disturbed during the next
five years due to new construction activities? Approximately 2 ac
5. What is the design average effluent flow of this facility? 0.012 MGD For industrial facilities, provide the max. 30-day average production level, include units:
In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Yes No XIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?
6. Nature of operations generating wastewater:
Hotel (78 rooms)
100 % of flow from domestic connections/sources
Number of private residences to be served by the treatment works: 78 hotel rooms
•
% of flow from non-domestic connections/sources
7. <b>Mode of discharge</b> :
8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:
X Permanent stream, never dry
Intermittent stream, usually flowing, sometimes dry
Ephemeral stream, wet-weather flow, often dry
Effluent-dependent stream, usually or always dry without effluent flow
Lake or pond at or below the discharge point
Other:
9. Approval Date(s):
O & M Manual N/A Sludge/Solids Management Plan N/A
Have there been any changes in your operations or procedures since the above approval dates? Yes No



DATE:

July 31, 2015

TO:

Tauhid Islam

443-373-1789

AnchorInnHotel@comcast.net

**COMPANY:** Anchor Inn Hotel

CC:

Joe Getz

FROM:

Michael Yang

**Applications Engineer** 

**SUBJECT:** 

Chincoteague, VA

Marina Hotel & Suites

**QUOTE NUMBER: 41076 R5** 





Process Systems Group

11600 East Hardy

Houston, Texas 77093-1098

Phone: (281) 985-4423

Fax:

(281) 985-443T

Email: michael.yang@alfalaval.com

RECEIVED - DEQ

AUG n 6 2015

Tidewater Regional
Office

In response to your inquiry for a 12,000 gpd wastewater treatment system, we are pleased to propose one (1) Model H-12M21-SUSHCDCPA complete mix activated sludge wastewater treatment system and one (1) Iso-Disc Disk Filter model IDDF-2D24S-CS tertiary filtration system.

## **Basis of Design**

Average Daily Flow Rate:

12,000 gpd 24,000 gpd

Peak Hourly Flow Rate: Influent Temperature:

20 °C

Elevation:

6 ft AMSL

## Projected Effluent

	<u>Influent</u>	Secondary	<u>Tertiary</u>		
BOD <sub>5</sub> :	350 mg/L	≤15 mg/L	≤ 10 mg/L		
TSS:	350 mg/L	$\leq$ 15 mg/L	$\leq$ 10 mg/L		
TKN:	40 mg/L	$\leq$ 3 mg/L	$\leq$ 3 mg/L		
Ammonia-N:	30 mg/L		-		
Phosphorus-P:	8 mg/L	-	-		
Alkalinity:	270 mg/L	-	-		
pH:	6.5 - 8.5				

## **Scope of Supply**

## **Influent Equalization Chamber:**

- One (1) 4,000 gallon flow equalization chamber
- One (1) inlet flange with manual bar screen
- Two (2) 0.33 hp submersible pumps complete with slide rails, 20 gpm @ 20 ft TDH



Ashbrook Sartley

- Two (2) 0.87 hp blower motor units, 8 scfm @ 5.66 psig each (1 duty & 1 standby)
- One (1) fixed coarse bubble aeration system, 8 scfm

## **Aeration Chamber**

- One (1) 10,500 gallon aeration chamber
- Two (2) 6.2 hp blower motor units, 76 scfm @ 5.66 psig each (1 duty & 1 standby)
- One (1) fixed coarse bubble aeration system, complete with in-basin air piping, 53 SCFM
- One (1) main control panel mounted in NEMA 3R enclosure with magnetic starters, circuit breakers, programmable time clock, and HOA switches, 208 volt, 60 hertz, 3 phase
- One (1) FRP tank enclosure with carbon adsorber odor control to cover the entire tank (except post aeration and chlorine contact tank)
- One (1) set of blower belts for each type and lubricant

#### Clarifier

- One (1) 7' L x 10' W hopper bottom gravity clarifier with feed pipe
- One (1) airlift sludge return pump and piping
- One (1) airlift scum return pump and piping
- One (1) clarifier outlet troughs, equipped with adjustable galvanized v-notched weir plates and scum baffle

## Sludge Holding Chamber/Aerobic Digester

- One (1) 4,300 gallon sludge chamber with 30 days of sludge storage
- One (1) supernatant decant airlift assembly
- One (1) fixed coarse bubble aeration system, 18 scfm

#### Iso-Disc Disk Filter Model IDDF-2D24S-CS

The proposed Iso-Disc cloth filters will be complete and will include the following:

- One (1) filter tank made of coated carbon steel
- Two (2) filter disks (304 stainless steel) with filter grid and cloth media
- One (1) backwash vacuum cleaning assembly complete with vacuum shoes and valves
- Two (2) 3 hp vacuum pump for the backwash system consisting of externally mounted centrifugal pumps (1 duty, 1 standby), 208 volt, 60 Hz., 3 phase motor, electrically actuated valves for backwash & settled solids removal and underdrain piping.
- One (1) 0.75 hp drive unit with 208 volt, 60 Hz, 3 phase motor
- One (1) relay logic controls integrated in the main control panel
- One (1) level pressure transducer with support bracket
- One (1) lot of high and low level alarm floats

#### **Post Aeration Chamber**

- One (1) 250 gallon post aeration chamber
- One (1) fixed coarse bubble aeration system, complete with in-basin air piping, 1 SCFM



Ashbrook Simon-Hartley

## Disinfection

- One (1) 250 gallon chlorine contact tank
- One (1) tablet chlorinator
- One (1) tablet dechlorinator

## **Corrosion Prevention**

- One (1) interior/exterior sand blast, SSPC-SP10/SSPC-SP6, respectively
- One (1) coat of interior/exterior surface protection, Tnemec series 46H-413 Coal Tar Epoxy,
   8-10 mils TDFT

## Service Walkway

- One (1) lot of 18 gauge galvanized, non-skid
- One (1) Lot of painted steel schedule 40 pipe handrail 2 rail with kick-plate
- One (1) 45 degree access stairway with checker-plate stair treads, and painted steel schedule 40 pipe handrail

## **Field Service**

- One (1) trip to the jobsite
- Three (3) eight hour days total

## Clarifications

## Items Not Supplied by Alfa Laval Ashbrook Simon-Hartley

- Electrical connections and wiring to the control panel
- Site work
- Plumbing to the plant
- Drain valves and piping outside plant walls
- Conduit, wiring and plant lighting
- Concrete foundation

## **General Notes**

- 1. Excavation, foundation pad, crane off-loading, field welding, touch-up paint, plumbing to the plant, connection of anodes, installation of grating, handrail and component equipment, electrical wiring, and filling of the tank for testing are to be done by the general contractor.
- 2. There is no provision included in this budgeted price, unless noted, for field erection supervision, tests, inspections or adjustments of equipment.
- 3. This system will measure approximately 36' long x 12' wide x 12' tall, weighing approximately 34,000 lbs. empty, and will be delivered to the jobsite in one (1) section.
- 4. Submittal drawings on the preceding equipment will be submitted within four (4) to six (6) weeks after receipt of a firm purchase order.



Ashbrook Simon-Hartley

**Note:** A purchase order signed by both Alfa Laval Ashbrook Simon-Hartley and the purchase order originator must be executed prior to any submittal being forwarded.

5. Shipment on the preceding equipment can be made within twelve (12) to fourteen (14) weeks from receipt of approved submittals, and may increase or decrease with volume production at the time of receipt of this required information.

## **Pricing**

If you have any questions or need any additional information, please do not hesitate to call our office.

Sincerely, Alfa Laval Ashbrook Simon-Hartley

Attachments: Activated Sludge Design Output

# Alfa Laval Ashbrook Simon-Hartley, Inc.

Activated Sludge Design

Printed: 7/10/2015, 11:00 AM

Project:

Chincoteague, VA #41073 R3

Engineer:

Computed By:

Michael Yang

**Conditions:** 

Alkalinity:

Package Plant - Annual Average Conditions

27

mg/L \*

Ashbrook Kartley

Projected Effluent Quality (mg/L):

56

Influent Cha	racteristic	s:			EMELINICAL CONCENTRATION OF THE CONCENTRATION OF TH		<u>Secondary</u>	<u>Tertiary</u>
Flow:	12,000	GPD Ave	24,000	GPD Peak	BOD5:	<	15	10
BOD5:	350	mg/L	35	Lbs/Day	TSS:	<	15	10
TSS:	350	mg/L	35	Lbs/Day	TN:	<	N/A	N/A
TKN:	40	mg/L	4	Lbs/Day	TKN:	<	3	3
Ammonia:	30	mg/L *	3	Lbs/Day	Ammonia:	<	N/A	N/A
Phosphorus	8	mg/L *	0.8	Lbs/Day	Phosphorus	<	N/A	N/A

Lbs/Day

 $Ft^3$ 

Design Parameters:		
MLSS Temperature:	20	°C *
Site Elevation:	6	Ft. MSL
alpha:	0.85	*
beta:	0.95	*
Minimum Residual DO:	2.0	ma/L

270

Steady-State	Operating	Characteristics:
Dienily Dinie	operating	Churucter istics.

Y. T.		
Organic Loading Rate:	25.0	Lb BOD5/d/1000
Total HRT:	21.0	Hours
Anoxic HRT:	0.0	Hours
SRT:	8.0	Day
MLSS:	2,850	mg/L
RAS TSS:	8000	mg/L
RAS Rate:	0.006	MGD
RAS Rate:	4.1	GPM
WAS Loading:	30	Lbs/Day
WAS Rate	444	GPD
Yield Lb WAS/Lb BOD:	0.84	Lb/Lb
AOR:	2.5	Lbs/Hr
Lb AOR/Lb BOD5:	1.30	Lb/Lb
Field Correction Factor:	0.64	
SOR	3.9	Lbs/Hr
SOTE	7.1	%
MLSS Recycle Flow	0.00	MGD
Diffuser Submergence	9.50	Ft
Side Water Depth:	10.5	Ft

## Plant Design:

Alkalinity:

Number of treatment trains:	1			
Pre-Equalization Volume:	535	Ft <sup>3</sup>	4,000	Gal
Anaerobic Volume:	0	Ft <sup>3</sup>	0	Gal
Anoxic Volume:	0	$Ft^3$	0	Gal
Aeration Volume:	1,404	Ft <sup>3</sup>	10,500	Gal
Total Reactor Volume:	1,404	Ft <sup>3</sup>	10,500	Gal
Post Aeration Volume:	33	Ft <sup>3</sup>	250	Gal
Digester Volume:	575	Ft <sup>3</sup>	4,300	Gal
Disinfection Volume:	33	Ft <sup>3</sup>	250	Gal
Average Clarifier Overflow Rate:	171	GPE	)/Ft <sup>2</sup>	
Peak Clarifier Overflow Rate:	343	GPE	)/Ft <sup>2</sup>	
Clarifier Surface Area:	70	Ft <sup>2</sup>		
Clarifier Diameter:	Hopper	Clarifier		
Est. Thickened WAS conc.:	18,000	mg/L	-	
Required Digester Storage:	30	Days	3	
VS Reduction in Digester:	37	%		
Equalization Air Required:	. 8	SCF	M	
Reactor Air Requirement:	53	SCF	M	
Digester Air Requirement:	18	SCF	М	
Airlift Requirement:	4	SCF	M	
Post Aeration Air Req'd:	1	SCF	М	
Blower Discharge Pressure:	5.66	PSIC	3	
Total Approx Blower BHP:	3.2	HP		
Reactor Blower BHP:	2.2	HP		
Digester Blower BHP:	0.7	HP		
	•			

NOTE: Reactor is defined as the sum of all aeration basins plus the anoxic basins.

<sup>\*</sup> Value is assumed



Ashbrook Sarties

## ALFA LAVAL ASHBROOK SIMON-HARTLEY, INC.

# WASTEWATER TREATMENT SYSTEM PROCESS PERFORMANCE CERTIFICATION

Project:

Chincoteague, VA

Date: <u>July 31, 2015</u>

Alfa Laval Ashbrook Simon-Hartley, Inc. proposes that the Wastewater Treatment System described in Alfa Laval Ashbrook Simon-Hartley's proposal 41076 R5 dated July 31, 2015 would perform within the limits specified below, subject to the manufacturer recommended conditions of design, installation, operation and maintenance.

## **Process Parameters**

•	Average Daily Flow	12,000 GPD
•	Peak Hourly Flow	24,000 GPD
9	$BOD_5$	350 mg/L
•	BOD <sub>5</sub> max loading	35 lbs/day
•	Total Suspended Solids	350 mg/L
•	Total Suspended Solids loading	35 lbs/d
0	TKN	40 mg/L
0	TKN loading	4 lbs/d
•	Ammonia	30 mg/L
0	Ammonia loading	3 lbs/d
•	P	8 mg/L
•	P loading	0.8 lbs/d
•	Wastewater Temperature:	
	• Minimum	15 °C
	Maximum	25 °C
•	pH (following operator adjustment at the EQ basin)	6.5 to 8.5
0	Alkalinity (as CaCO <sub>3</sub> )	270 mg/L
8	Alpha	0.85
	Beta	0.95

On the basis of the wastewater being within the above Influent Parameters, the Alfa Laval Ashbrook Simon-Hartley Wastewater Treatment System will provide a monthly average effluent water quality as given below:

0	$BOD_5$	10 mg/L
0	Suspended Solids	10 mg/L
•	TKN	3 mg/L

Chincoteague, VA Alfa Laval Ashbrook Simon-Hartley, Inc. Process Certificate page 2 of 3 July 31, 2015



Ashbrook Simon Hartley

The Alfa Laval Ashbrook Simon-Hartley supplied system shall be strictly installed, operated, and maintained per manufacturer recommendations.

Influent to the wastewater treatment plant shall be non-toxic, municipal wastewater as described above and specified by the Engineer. Any variations from the above specified influent characteristics shall render this certification null and void. Any additional equipment required to adjust variant influent characteristics to meet specifications will be at Owner's expense.

To verify compliance with the above, there shall be either of the two following options available:

Option A: Eight (8) consecutive influent and effluent samples shall be composited over a 24 hour period, spaced at not less than two (2) hours apart. These samples shall be used to obtain an average figure for that 24 hour period, subject to the conditions given below.

Option B: Routine samples collected for analysis to determine compliance with discharge permits may be used to determine compliance with this certificate. If in consecutive sampling events, the above effluent parameters are met, this would serve as verification of compliance.

The Treatment System will operate within the above parameters provided that:

- 1) The treatment system is to be operated and maintained by licensed operators in strict accordance with the manufacturer's instructions.
- 2) Any treatment required prior to the system and any chemical feed equipment required to achieve key nutrient and carbon to nitrogen balances shall be operationally correct and optimized per the manufacturer's instructions.
- 3) All equipment and instruments shall be properly maintained, serviced and calibrated according to the manufacturer's recommendations. A service record and calibration record shall be kept for each key equipment and individual instrument, and these shall be made available to the manufacturer in the event of potential non-compliance.
- 4) Analytical methods shall be those described in the latest edition of Standard Methods for the Examination of Water and Wastewater, or as agreed by Owner and Manufacturer.
- 5) All Analysts shall be trained in the use of all appropriate laboratory equipment, and the necessary techniques of sampling and analysis.
- 6) All analytical results (including routine analysis such as that required by the state) shall be made available to the Manufacturer at the earliest opportunity.
- 7) In the event of mechanical failure or breakdown of equipment, instrumentation, or automatic sampling equipment, any samples during such period that fail compliance shall be disregarded.

Chincoteague, VA Alfa Laval Ashbrook Simon-Hartley, Inc. Process Certificate page 3 of 3 July 31, 2015



Ashbrook Simon Harriey


8) This statement has been devised based on projected influent municipal wastewater quality from the intended source of supply for this plant. Should there be any change in the nature of the influent quality, such that it becomes untreatable by the system proposed in this project, then this certificate will be void.

Testing for compliance with the requirements described in this certificate shall commence within one month following achieving steady-state operation\* of the treatment plant, but no later than 8 months following plant start-up. At the time of compliance testing, the treatment plant must be operating in a steady-state mode. If compliance is determined to have been achieved (either by Option A or B above), regardless of influent characteristics, the Alfa Laval Ashbrook Simon-Hartley system shall be considered to have met the requirements of the certificate. If within 8 months from the start-up of the treatment facility or 12 months following delivery of the plant, whichever occurs first, the plant has not achieved steady-state operating conditions or the Influent Parameters are not within range, the requirements of this certificate shall be null and void.

In the event of a dispute, subsequent samples taken shall be split into 3 (three) equal portions, and each marked with the time, date and source of collection plus the name and company of the sampler. The first portion shall be analyzed by the client, the second by the manufacturer. The third sample shall be retained in appropriate storage conditions. Should a dispute persist on a sample, the third portion shall be analyzed by an independent third party for verification.

Should all aspects of this statement be met and it is determined that the system does not operate within the limits set forth and agreed to, the Manufacturer shall have reasonable opportunity to make corrections required to bring system into compliance. Alfa Laval Ashbrook Simon-Hartley will consult with the Owner and Owner's Engineer to develop and implement an approach to bring the plant into full compliance. The solution to bringing the system into compliance may involve process, operational, or equipment modifications; however, land area, site preparation, installation, and other site related work would be the responsibility of the Owner. Alfa Laval Ashbrook Simon-Hartley will not be responsible for resultant (consequential) losses or damages.

\* Steady-state operation is defined as operation for fifteen (15) consecutive days within + or - 10 percent of the manufacturer's recommended mixed liquor suspended solids (MLSS) concentration <u>and</u> within 75 to 100 percent of the average hydraulic loads, and organic and nutrient constituent concentrations and loads provided above, as verified by independent laboratory analysis.



# FACILITY NAME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677 VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

## **SCREENING INFORMATION**

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

determi	ne which	sections to fill out.	
1.	All applicants must complete Section A (General Information).		
2.	Will this	s facility generate sewage sludge? X Yes No	
	Will this	s facility derive a material from sewage sludge?Yes _X_No	
	-	nswered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material From Sewage Sludge).	
3.	Will this	s facility apply sewage sludge to the land?Yes _X_No	
	Will sev	wage sludge from this facility be applied to the land? _Yes _X_No	
	If you a	nswered No to both questions above, skip Section C.	
	If you a	nswered Yes to either, answer the following three questions:	
	a.	Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions? YesNo	
	b.	Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land?YesNo	
	c.	Will sewage sludge from this facility be sent to another facility for treatment or blending?YesNo	
	If you a	nswered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).	
	If you a	nswered Yes to a, b or c, skip Section C.	
4.	Do you	own or operate a surface disposal site?Yes _X_No	
	If Yes,	complete Section D (Surface Disposal).	

## All applicants must complete this section.

1.	Facility	y Information.			
	a.	Facility name: Marina Hotel and Suites at Chincoteague			
	b.	Contact person: Tauhid Islam Title: Managing Member			
	c.	Phone: (443) 373-1789 Mailing address: 3791 South Main Street Street or P.O. Box:			
		City or Town: Chincoteague State: VA Zip: 23336			
	d.	Facility location: 3801 Main Street Street or Route #: County: City or Town: Chincoteague State: VA Zip: 23336			
	e.	Is this facility a Class I sludge management facility?YesNo			
	f.				
	g.	Facility design flow rate:			
	h.	Indicate the type of facility: Publicly owned treatment works (POTW)			
		X Privately owned treatment works Federally owned treatment works			
		Blending or treatment operation			
		Surface disposal site			
		Other (describe):			
2.	Applic	cant Information. If the applicant is different from the above, provide the following:			
	a.	Applicant name: Bayside Hospitality, LLC			
	b.	Mailing address: 3791 South Main Street			
		Street or P.O. Box:			
		City or Town: Chincoteague State: VA Zip: 23336			
	c.	Contact person: Tauhid Islam			
		Title: Managing Member			
		Phone: (443) 373-1789			
	d.	Is the applicant the owner or operator (or both) of this facility?  X owner operator			
	e.	Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)			
	C.	facilityX_ applicant			
3.	Permit Information.				
	a.	Facility's VPDES permit number (if applicable): <u>VA 0091677</u>			
	b.	List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management prætices: <u>Permit Number:</u> <u>Type of Permit:</u>			
4.		Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this y occur in Indian Country?Yes _X_No If yes, describe:			

#### FACILITY NAME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677

- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility: -Map is attached.
  - a. Location of all sewage sludge management facilities, including locations wheresewage sludge is generated, stored, treated, or disposed.
  - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.—The treatment plant will include an aerobic sludge digester which will be periodically allowed to settle, then sludge will be pumped out under contract by Boggs for disposal at Pocomoke City Treatment Plant.

7.	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? X Yes No				
	If yes, provide the following for each contractor (attach additional pages if necessary).				
	Name: ESS, Ltd				
	Mailing address: 218 North Main Street				
	Street or P.O. Box:				
	City or Town: Culpeper State: VA Zip: 22701				
	Phone: (540) 825-6660				
	Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:				

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

#### ESS will be contracted to operate the treatment plant.

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic	There is no pollutant testing data available yet. Will provide testing data at a later date.			
Cadmium				
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc			·	

5.	Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:  a. Location of all sewage sludge management facilities, including locations wheresewage sludge is generated, stored, treated, or disposed.  b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to
	the applicant within 1/4 mile of the property boundaries.
6	Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.
7.	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? X_YesNo If yes, provide the following for each contractor (attach additional pages if necessary).  Name: Boggs Water and Sewage Mailing address:28367 Railroad Ave Street or P.O. Box: City or Town:MelfaState:VAZip: _23410 Phone: (757) 787-4000 Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge: County Permit 07-100-0005  If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to
	he was ided to the applicant and the respective obligations of the applicant and the contractor(s)

to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

Boggs will be contracted to pump sludge from the digester for disposal at the Pocomoke City Treatment Plant.

Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for 8. the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic	There is no pollutant testing data available yet. Will provide testing data at a later date.			
Cadmium				
Chromium				
Copper				
<del>Lead</del>				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zine				

Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:

 \_\_X\_Section A (General Information)
 \_\_X\_Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)
 \_\_Section C (Land Application of Bulk Sewage Sludge)
 \_\_Section D (Surface Disposal)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Tauhid Islam, Managing Partner

Signature John Date Signed 7/22/15

Telephone number 443-373-1789

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

## FACILITY NAME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677

# SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.	Amount Generated On Site.  Total dry metric tons per 365-day period generated at your facility: 2.43 dry metric tons			
2.	dispos	ant Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or sal, provide the following information for each facility from which sewage sludge is received. If you receive the sludge from more than one facility, attach additional pages as necessary.  Facility name: N/A  Contact Person:  Title:  Phone ( )		
	c.	Mailing address: Street or P.O. Box: City or Town: State: Zip:		
	d.	Facility Address: (not P.O. Box)		
	e. f.	Total dry metric tons per 365-day period received from this facility: dry metric tons Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:		
3.	Treati	ment Provided at Your Facility.		
٥.	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility?  Class A Class B X Neither or unknown		
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge:		
	c.	Which vector attraction reduction option is met for the sewage sludge at your facility?  Option 1 (Minimum 38 percent reduction in volatile solids)  Option 2 (Anaerobic process, with bench-scale demonstration)  Option 3 (Aerobic process, with bench-scale demonstration)  Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  Option 5 (Aerobic processes plus raised temperature)  Option 6 (Raise pH to 12 and retain at 11.5)  Option 7 (75 percent solids with no unstabilized solids)  Option 8 (90 percent solids with unstabilized solids)  X_ None or unknown		
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge:		
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above:		
4.	of Ve	eration of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One actor Attraction Reduction Options 1-8 (EQ Sludge).		
	`	rage sludge from your facility does not meet all of these criteria, skip Question 4.)		
	a.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: dry metric tons		
	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away? YesNo		

FACIL	ITY NAI	ME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677		
5.	Sale or 6	Give-Away in a Bag or Other Container for Application to the Land.		
		te this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this		
question if sewage sludge is covered in Question 4.)				
	a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility		
		for sale or give-away for application to the land: dry metric tons		
	b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or		
		given away in a bag or other container for application to the land.		
6.	Shipmer	nt Off Site for Treatment or Blending.		
		te this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question		
		apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is		
	covered i	n Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)		
	a.	Receiving facility name: Pocomoke Treatment Facility		
	b.	Facility contact: Michael Phillips		
		Title: Water and Wastewater Superintendent		
		Phone: (410 ) 957-3311		
	c.	Mailing address: 1534 Dunn Swamp Road		
		Street or P.O. Box:		
		City or Town: Pocomoke City State: MD Zip: 21851		
	d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: 2.43 dry		
		metric tons		
	e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of		
		all other federal, state or local permits that regulate the receiving facility's sewage sludge use or dsposal		
		practices:		
		Permit Number: Type of Permit:		
		09-DP-0674 State		
		MD0022551 NPDES_		
	f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your		
		facility? Yes X No		
		Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?		
		Class AClass BX _Neither or unknown		
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to		
		reduce pathogens in sewage sludge:		
	g.	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the		
	8	sewage sludge?Yes _X_No		
		Which vector attraction reduction option is met for the sewage sludge at the receiving facility?		
		Option 1 (Minimum 38 percent reduction in volatile solids)		
		Option 2 (Anaerobic process, with bench-scale demonstration)		
		Option 3 (Aerobic process, with bench-scale demonstration)		
		Option 4 (Specific oxygen uptake rate for aerobically digested sludge)		
		Option 5 (Aerobic processes plus raised temperature)		
		Option 6 (Raise pH to 12 and retain at 11.5)		
		Option 7 (75 percent solids with no unstabilized solids)		
		Option 8 (90 percent solids with unstabilized solids)		
		X None unknown		
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to		
		reduce vector attraction properties of sewage sludge:		
		todado todiot amiaanon properties or oen abe staabe.		
	h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above?		
	11.	X Yes No		
		If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:		
		-Liquid sludge is combined into the influent to the Pocomoke City Treatment Plant and goes through		
		the entire treatment process.		

i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility

FACI	LITY NA	AME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677
		to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G. — This information will be developed at a later date.
	j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land?Yes _X_No
	k.	If yes, provide a copy of all labels or notices that accompany the product being sold or given away. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes?X_Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.
		Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. — The haul route will be as follows:  Main Street to Chincoteague Road, then North on Route 13, left on Tulls Corner Road and right on
		Dunn Swamp Road to the Pocomoke City Treatment Plant. Days of the week and times of day will vary.
7.		Application of Bulk Sewage Sludge. (N/A)
	(Compl	ete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or
	6; comp a.	olete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)  Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:dry metric tons
	b.	Do you identify all land application sites in Section C of this application?YesNo If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
	c.	Are any land application sites located in States other than Virginia?YesNo If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
	d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).
8.	Surface	e Disposal. (N/A)
0.		ete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: dry metric tons
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? YesNo
		If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
	c. d.	Site name or number: Contact person:
	u.	Title: Phone: ( )
		Contact is:Site OwnerSite operator
	e.	Mailing address.
		Street or P.O. Box:
	f.	City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal
		site: dry metric tons
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface
		disposal site: <u>Permit Number:</u> <u>Type of Permit:</u>

9.	Incineration. (N/A)					
		olete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)				
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge				
	b.	incinerator: dry metric tons  Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?				
	υ.	YesNo				
		If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.				
	c.	Incinerator name or number:				
	d.	Contact person:				
		Title:				
		Phone: ( )				
	_	Contact is:Incinerator OwnerIncinerator Operator				
	e.	Mailing address. Street or P.O. Box:				
		City or Town: State: Zip:				
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge				
	1.	incinerator: dry metric tons				
	g.	List on this form or an attachment the numbers of all other federal, state or local permits that regulate the				
	0	firing of sewage sludge at this incinerator:				
		Permit Number: Type of Permit:				
10.		osal in a Municipal Solid Waste Landfill. (N/A)				
		plete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information In municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one				
		ipal solid waste landfill, attach additional pages as necessary.)				
	a.	Landfill name:				
	b.	Contact person:				
	٥.	Title:				
		Phone: ( )				
		Contact is:Landfill OwnerLandfill Operator				
	c.	Mailing address.				
		Street or P.O. Box:				
		City or Town:State:Zip:				
	d.	Landfill location.				
		Street or Route #:				
		County: City or Town: State: Zip:				
		Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill:				
	e.	dry metric tons  dry metric tons				
	f.	List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the				
	**	operation of this municipal solid waste landfill:				
		Permit Number: Type of Permit:				
	C.	Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9				
	g.	VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?				
		YesNo				
	h.	Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid				
	***	Waste Management Regulation, 9 VAC 20-80-10 et seq.?YesNo				
	i.	Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill				
		be watertight and covered? Yes No				
		Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week				

FACILITY NAME: Marina Hotel & Suites at Chincoteague

VPDES PERMIT NUMBER: VA 0091677

FACILITY NAME: Marina Hotel & Suites at Chincoteague	VPDES PERMIT NUMBER: <u>VA 0091677</u>
--	--

and time of the day sewage sludge will be transported.

## SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE $\left(N/A\right)$

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or

The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or

You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

1.	Identi	fication of Land Application Site.
	a.	Site name or number:
	b.	Site location (Complete i and ii)
		i. Street or Route#:
		County:
		City or Town: State: Zip: ii. Latitude: Longitude:
		ii. Latitude: Longitude:
		Method of latitude/longitude determination
		USGS map Filed survey Other Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable)
	c.	that shows the site location.
2.	Owne	er Information.
	a.	Are you the owner of this land application site?YesNo
	b.	If no, provide the following information about the owner:
		Name:
		Street or P.O. Box:
		City or Town: State: Zip:
		Phone: ( )
3.	Appli	er Information:
	a.	Are you the person who applies, or who is responsible for application of, sewage sludge to this land
		application site?YesNo
	b.	If no, provide the following information for the person who applies the sewage sludge: Name:
		Street or P.O. Box:
		City or Town: State: Zip:
		Phone: ( )
	c.	List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person
		who applies sewage sludge to this land application site:
		Permit Number: Type of Permit:
A	Cita T	Type. Identify the type of land application site from among the following:
4.		gricultural landReclamation siteForest
		iblic contact siteOther. Describe
	1 0	other. Describe
5.	Vecto	or Attraction Reduction.
		ny vector attraction reduction requirements met when sewage sludge is applied to the landapplication site?
		YesNo If yes, answer a and b.
	a.	Indicate which vector attraction reduction option is met:
		Option 9 (Injection below land surface)
		Option 10 (Incorporation into soil within 6 hours)
	b.	Describe, on this form or on another sheet of paper, any treatment processes used at the land application site
		to reduce the vector attraction properties of sewage sludge:

NIA

#### FACILITY NAME: Marina Hotel & Suites at Chincoteague

VPDES PERMIT NUMBER: VA 0091677

6. Cumulative Loadings and Remaining Allotments.

(Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.)

a. Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? \_\_\_Yes \_\_\_No

If no, sewage sludge subject to the CPLRs may not be applied to this site.

If yes, provide the following information:

Permitting authority:

Contact person:

Phone:()

b. Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993? Yes No If no, skip the rest of Question 6. If yes, answer questions c - e.

c. Site size, in hectares: (one hectare = 2.471 acres)

d. Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary.

Facility name:

Facility contact:

Title:

Phone: ( )

Mailing address.

Street or P.O. Box:

City or Town:\_\_\_\_\_ State:\_\_\_\_ Zip:

e. Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:

Cumulative loading Allotment remaining
Arsenic
Cadmium
Copper
Lead
Mercury
Nickel
Selenium
Zinc

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.

PCBs (mg/kg)

pH (S. U.)

Percent Solids (%)

Ammonium Nitrogen (mg/kg)

Nitrate Nitrogen (mg/kg)

Total Kjeldahl Nitrogen (mg/kg)

Total Phosphorus (mg/kg)

Total Potassium (mg/kg)

Alkalinity as CaCO<sub>3</sub>\* (mg/kg)

\* Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO<sub>3</sub>.

### FACILITY NAME: Marina Hotel & Suites at Chincoteague VPDES PERMIT NUMBER: VA 0091677

8. Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on amonthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
  - 1) Water wells, abandoned or operating
  - 2) Surface waters
  - 3) Springs
  - 4) Public water supply(s)
  - 5) Sinkholes
  - 6) Underground and/or surface mines
  - 7) Mine pool (or other) surface water discharge points
  - 8) Mining spoil piles and mine dumps
  - 9) Quarry(s)
  - 10) Sand and gravel pits
  - 11) Gas and oil wells
  - l2) Diversion ditch(s)
  - 13) Agricultural drainage ditch(s)
  - 14) Occupied dwellings, including industrial and commercial establishments
  - 15) Landfills or dumps
  - 16) Other unlined impoundments
  - 17) Septic tanks and drainfields
  - 18) Injection wells
  - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
  - 1) Maximum and minimum percent slopes
  - 2) Depressions on the site that may collect water
  - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
  - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.
- 9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.
- 10. Landowner Agreement Forms. Provide a properly completed Land Application Agreement Biosolids Form and necessary attachments (attached at end of VPDES Sewage Sludge Permit Application Form) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.

11.	Ground Water Monitoring.
	Are any ground water monitoring data available for this land application site?YesNo
	If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the
	well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these
	data.

12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

NA

#### FACILITY NAME: Marina Hotel & Suites at Chincoteague





- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U.
   S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service Virginia Field Office 6669 Short Lane Gloucester, VA 23061 TEL: (804)693-6694

Provide a copy of the notification letter with this application form.

- d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)
   Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the
  - typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.
  - 1) Soil symbol
  - 2) Soil series, textural phase and slope range
  - 3) Depth to seasonal high water table
  - 4) Depth to bedrock
  - 5) Estimated soil productivity group (for the proposed crop rotation)

#### Item e - h are required for sites receiving frequent application of sewage sludge

- e. In order to verify the information provided in item d, characterize the soil at each land application site.

  Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
  - 1). Soil symbol
  - 2). Soil series, textural phase and slope range
  - 3). Depth to seasonal high water table
  - 4). Depth to bedrock
  - 5). Estimated soil productivity group (for the proposed crop rotation)

#### FACILITY NAME: Marina Hotel & Suites at Chincoteague

VPDES PERMIT NUMBER: VA 0091677

Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

NA

Soil Organic Matter (%)

Soil pH (std. units)

Cation Exchange Capacity (meq/100g)

Total Nitrogen (ppm)

Organic Nitrogen (ppm)

Ammonia Nitrogen (ppm)

Nitrate Nitrogen (ppm)

Available Phosphorus (ppm)

Exchangeable Potassium (mg/100g)

Exchangeable Sodium (mg/100g)

Exchangeable Calcium (mg/100g)

Exchangeable Magnesium (mg/100g)

Arsenic (ppm)

Cadmium (ppm)

Copper (ppm)

Lead (ppm)

Mercury (ppm)

Molybdenum (ppm)

Nickel (ppm)

Selenium (ppm)

Zinc (ppm)

Manganese (ppm)

Particle Size Analysis or

USDA Textural Estimate (%)

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may benecessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

## SECTION D. SURFACE DISPOSAL (N/A)

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

1.	Information on Active Sewage Sludge Units.					
	a.	Unit name or number:				
	b.	Unit location				
		i. Street or Route#:				
		County:				
		City or Town: State: Zip:				
		ii. Latitude: Longitude:				
		Method of latitude/longitude determination				
		USGS map Filed survey Other				
	c.	Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable)				
		that shows the site location.				
	d.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period:				
	dry metric tons.					
	e.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit:  dry metric tons.				
	f.	Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of				
	1.	1 x $10^{-7}$ cm/sec?YesNo If yes, describe the liner or attach a description.				
		1 x 10 cm/sec:1es1do 11 yes, describe the finer of attach a description.				
	α	Does the active sewage sludge unit have a leachate collection system?YesNo				
	g.	If yes, describe the leachate collection system or attach a description. Also, describe the method used for				
		leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:				
		reachate disposal and provide the numbers example some of some provider in				
	h.	If you answered no to either f or g, answer the following:				
		Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface				
		disposal site?YesNo If yes, provide the actual distance in meters:				
	i.	Remaining capacity of active sewage sludge unit, in dry metric tons: dry metric tons				
		Anticipated closure date for active sewage sludge unit, if known: (MM/DD/YYYY)				
		Provide with this application a copy of any closure plan developed for this active sewage sludge unit.				
2.	Sewa	ge Sludge from Other Facilities.				
	Is sev	wage sludge sent to this active sewage sludge unit from any facilities other than yours?YesNo				
	If yes	, provide the following information for each such facility, attach additional sheets as necessary.				
	a.	Facility name:				
	b.	Facility contact:				
		Title:				
		Phone: ( )				
	c.	Mailing address.				
		Street or P.O. Box:				
		City or Town: State: Zip:				
	d.	List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other				
		federal, state or local permits that regulate the facility's sewage sludge management practices:				
		Permit Number: Type of Permit:				
		<u>a. 7-2202-0.120237.723</u>				
		AND				
	e.	Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?				
	٠.	Class A Class B Neither or unknown				
	f.	Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to				
	••	reduce pathogens in sewage sludge:				

Which vector attraction reduction option is achieved before sewage sludge leaves the other facility? g. \_\_\_ Option 1 (Minimum 38 percent reduction in volatile solids) \_\_\_ Option 2 (Anaerobic process, with bench-scale demonstration) \_\_\_ Option 3 (Aerobic process, with bench-scale demonstration) \_\_\_ Option 4 (Specific oxygen uptake rate for aerobically digested sludge) \_\_\_ Option 5 (Aerobic processes plus raised temperature) \_\_\_ Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) \_\_\_ Option 8 (90 percent solids with unstabilized solids) None or unknown Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce h. vector attraction properties of sewage sludge: i. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above: 3. Vector Attraction Reduction. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit? \_\_\_ Option 9 (Injection below land surface) \_\_\_ Option 10 (Incorporation into soil within 6 hours) \_\_\_ Option 11 (Covering active sewage sludge unit daily) Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge b. unit to reduce vector attraction properties of sewage sludge: 4. Ground Water Monitoring. Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludgeunit? \_\_\_Yes \_\_\_No If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these data. b. Has a ground water monitoring program been prepared for this active sewage sludge unit? Yes \_No If yes, submit a copy of the ground water monitoring program with this application. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active c. sewage sludge unit has not been contaminated? \_\_\_Yes \_\_\_No If yes, submit a copy of the certification with this application. 5. Site-Specific Limits. Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit? \_\_Yes \_\_No If yes, submit information to support the request for site-specific pollutant limits with this application.

FACILITY NAME: Marina Hotel and Suites at Chincoteague

VPDES PERMIT NUMBER: VA 0091677

## **VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM**



	1
N	A
N	A
1.	1 6 8

remains in effect until it is to the Landowner in the event individual parcels identified	erminated in writing by either p of a sale of one or more parce	between referred to erred to here as the "Permittee". This agreement rty or, with respect to those parcels that are retained by s, until ownership of all parcels changes. If ownership of se parcels for which ownership has changed will no uals under this agreement.		
Landowner: The Landowner is the owner the agricultural, silvicultural as Exhibit A.	er of record of the real property or reclamation sites identified	/ located in	_, Virginia, which includes d on the tax map(s) attached	
	Table 1.: Parcels author	ized to receive biosolids		
<u>Tax Parcel ID</u>	Tax Parcel ID	Tax Parcel ID	<u>Tax Parcel ID</u>	
☐ Additional parcels containing Lan	d Application Sites are identified on S	Supplement A (check if applicable)		
Check one: ☐ Th	e Landowner is the sole owne e Landowner is one of multiple	r of the properties identified he e owners of the properties ider	erein. ntified herein.	
In the event that the Landowner sells or transfers all or part of the property to which biosolids have been applied within 38 months of the latest date of biosolids application, the Landowner shall:  1. Notify the purchaser or transferee of the applicable public access and crop management restrictions no later than the date of the property transfer; and  2. Notify the Permittee of the sale within two weeks following property transfer.  The Landowner has no other agreements for land application on the fields identified herein. The Landowner will notify the Permittee immediately if conditions change such that the fields are no longer available to the Permittee for application or any part of this agreement becomes invalid or the information herein contained becomes incorrect.				
The Landowner hereby grants permission to the Permittee to land apply biosolids on the agricultural sites identified above and in Exhibit A. The Landowner also grants permission for DEQ staff to conduct inspections on the land identified above, before, during or after land application of biosolids for the purpose of determining compliance with regulatory requirements applicable to such application.				
Landowner – Printed Name, Titl	e Signature	Mailin	g Address	
VPDES Permit Regulation and land application field by a permittee agrees to notify specifically prior to any particular publied.	e Permittee, agrees to apply bios d in amounts not to exceed the rason certified in accordance with § the Landowner or the Landowner application to the Landowner assigning signatory authority to the review upon request. (Do not charge)	ates identified in the nutrient manification.  10.1-104.2 of the Code of Virginier's designee of the proposed soles land. Notice shall include the sole person signing for landowner a	agement plan prepared for each ia.  nedule for land application and source of residuals to be  above. I will make a copy of this	
Permittee – Authorized Represe		Mailin	g Address	

Rev 9/14/2012 Page 1 of 2

## VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM LAND APPLICATION AGREEMENT - BIOSOLIDS \_\_\_\_\_ County or City: \_\_ Permittee: \_\_ Landowner: \_\_\_ **Landowner Site Management Requirements:** I, the Landowner, I have received a DEQ Biosolids Fact Sheet that includes information regarding regulations governing the land application of biosolids, the components of biosolids and proper handling and land application of biosolids. I have also been expressly advised by the Permittee that the site management requirements and site access restrictions identified below must be complied with after biosolids have been applied on my property in order to protect public health, and that I am responsible for the implementation of these practices. I agree to implement the following site management practices at each site under my ownership following the land application of biosolids at the site: 1. Notification Signs: I will not remove any signs posted by the Permittee for the purpose of identifying my field as a biosolids land application site, unless requested by the Permittee, until at least 30 days after land application at that site is completed. 2. Public Access Public access to land with a high potential for public exposure shall be restricted for at least one year following any application of biosolids. Public access to land with a low potential for public exposure shall be restricted for at least 30 days following any application of biosolids. No biosolids amended soil shall be excavated or removed from the site during this same period of time unless adequate provisions are made to prevent public exposure to soil, dusts or aerosols; Turf grown on land where biosolids are applied shall not be harvested for one year after application of biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by DEQ. 3. Crop Restrictions: a. Food crops with harvested parts that touch the biosolids/soil mixture and are totally above the land surface shall not be harvested for 14 months after the application of biosolids. b. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after the application of biosolids when the biosolids remain on the land surface for a time period of four (4) or more months prior to incorporation into the soil, c. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months when the biosolids remain on the land surface for a time period of less than four (4) months prior to d. Other food crops and fiber crops shall not be harvested for 30 days after the application of biosolids; e. Feed crops shall not be harvested for 30 days after the application of biosolids (60 days if fed to lactating dairy animals). 4. Livestock Access Restrictions: Following biosolids application to pasture or hayland sites: a. Meat producing livestock shall not be grazed for 30 days, b. Lactating dairy animals shall not be grazed for a minimum of 60 days. c. Other animals shall be restricted from grazing for 30 days; 5. Supplemental commercial fertilizer or manure applications will be coordinated with the biosolids and industrial residuals applications such that the total crop needs for nutrients are not exceeded as identified in the nutrient management plan developed by a person certified in accordance with §10.1-104.2 of the Code of Virginia; 6. Tobacco, because it has been shown to accumulate cadmium, should not be grown on the Landowner's land

Landowner's Signature

exceeding 0.45 pounds/acre (0.5 kilograms/hectare).

Date

for three years following the application of biosolids or industrial residuals which bear cadmium equal to or

#### **VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM**

## LAND APPLICATION AGREEMENT - BIOSOLIDS

#### **Landowner Coordination Form**

NH

This form is used by the Permittee to identify properties (tax parcels) that are authorized to receive biosolids and each of the legal landowners of those tax parcels. A *Land Application Agreement – Biosolids* form, pages 1 and 2 with original signature must be attached for each legal landowner identified below prior to land application at the identified parcels.


Permittee:		
County or City:		
Please Print	(Signatures not required on this page)	
Tax Parcel ID(s)	Landowner(s)	
	· ·	

## VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

### LAND APPLICATION AGREEMENT - BIOSOLIDS

LAND AN I LIOANON AC	ACCEPTED OCCUPA			
Permittee:		City/County:		
Landowner:				
Supplement A: Additional Land Application Sites				
Table 1 continued: Parcels authorized to receive biosolids.				
Tax Parcel ID	Tax Parcel ID	Tax Parcel ID	Tax Parcel ID	
<del></del>				
	·			
	***************************************			
andowner – Printed Name	Signature	Mailing	Address	

Rev 9/14/2012 Page \_\_\_of\_\_\_



## VPDES/VPA Permit Billing Information Form for Annual Maintenance Fee

Facility Name:	Marina Hotel and Suites @ Chincoteague
Permit Number:	VA 0091677
Person / Organization	
to be billed:	Bayside Hospitality, LLC
Billing Address:	3791 South Main Street
	Chincoteague, VA 23336
Billing Contact Name:	Tauhid Islam
Title:	Managing Member
Phone Number:	757-336-6313
E-Mail Address:	islam.tauhid@yahoo.com